



## 0.1 Mm Duplex 321 Stainless Steel Tubing 304 SS Pipe SA268 TP439 Material

### Our Product Introduction

#### Basic Information

- Place of Origin: china
- Brand Name: ShengQuan
- Certification: ISO9001:2000
- Model Number: 201/304/304L/316/316L/321/309/310/32750/32760/90
- Minimum Order Quantity: 1ton
- Price: USD1500-USD6000
- Packaging Details: Standard Export Sea-Worthy Packing
- Delivery Time: 5-15days
- Payment Terms: L/C, T/T, Western Union
- Supply Ability: 15000Tons



#### Product Specification

- Width: Or As Required
- Type: Plate,Coil,stainless Steel Sheet
- Standard: ASTM,JIS,AISI,EN,GB
- Length: Customer's Request
- Product Name: ASTM JIS SUS 201 202 301 304 304L 316 316L 310Stainless Steel Sheet
- Thickness: 0.3mm-120mm,0.18-1.5mm,0.2-60mm,0.45-5mm,0.01-200mm
- Certification: ISO,SGS,Other
- Technique: Cold Rolled Hot Rolled
- Highlight: **Duplex 321 stainless steel tubing ,  
SA268 321 stainless steel tubing ,  
SA268 304 ss pipe**



## Product Description

### Oil And Gas Industry 0.1 Mm Duplex Stainless Steel Pipe A/Sa268 Tp439 Material Polished Stainless Steel Tubing

#### Characteristics of Pipe vs Tubing

A few main characteristics separate tube from pipe:

Shape - Tubes can be rectangular, square, or round. Pipes are always round.

Measurement - A tube is usually ordered wall thickness and outside diameter. A pipe is usually ordered by use of nominal pipe size (NPS) standard and specifying schedule number and nominal diameter

Telescoping Abilities - Tubes can be telescoped and pipes cannot.

Rigidity - Pipe is firm and cannot be made into a shape without special equipment. Aside from brass and copper, tubes can be made into a shape with some effort. Coiling and bending tubing can be done without extreme distortion, fracturing, or wrinkling.

Applications - For instance tubes are used in medical devices which require a precise outside diameter. Outside diameter is vital since it will show how much it can hold as a firmness factor. Pipes are used for transporting liquids or gasses, making it vital to know the capacity. The circular shape of a pipe makes it efficient when sustaining pressure from the liquid

Metal Types - Pipe is only hot rolled. Tubes are hot and cold rolled.

Size - Pipes serve larger applications. Where small diameters are required, tubing is commonly used.

Strength - Tubes are stronger than pipes. They perform better in applications requiring strength and durability.

Chemical Properties of Frequently-used Stainless Steel Material Grade											
UNS	ASTM	EN	JIS	C%	Mn%	P%	S%	Si %	Cr%	Ni%	Mo %
S20100	201	1.4372	SUS201	≤0.15	5.5-7.5	≤0.06	≤0.03	≤1.00	16.0-18.0	3.5-5.5	-
S20200	202	1.4373	SUS202	≤0.15	7.5-10.0	≤0.06	≤0.03	≤1.00	17.0-19.0	4.0-6.0	-
S30100	301	1.4319	SUS301	≤0.15	≤2.00	≤0.045	≤0.03	≤1.00	16.0-18.0	6.0-8.0	-
S30400	304	1.4301	SUS304	≤0.08	≤2.00	≤0.045	≤0.03	≤0.75	18.0-20.0	8.0-10.5	-
S30403	304L	1.4306	SUS304L	≤0.03	≤2.00	≤0.045	≤0.03	≤0.75	18.0-20.0	8.0-12.0	-
S30908	309S	1.4833	SUS309S	≤0.08	≤2.00	≤0.045	≤0.03	≤0.75	22.0-24.0	12.0-15.0	-
S31008	310S	1.4845	SUS310S	≤0.08	≤2.00	≤0.045	≤0.03	≤1.50	24.0-26.0	19.0-22.0	-
S31600	316	1.4401	SUS316	≤0.08	≤2.00	≤0.045	≤0.03	≤0.75	16.0-18.0	10.0-14.0	2.0-3.0
S31603	316L	1.4404	SUS316L	≤0.03	≤2.00	≤0.045	≤0.03	≤0.75	16.0-18.0	10.0-14.0	2.0-3.0
S31703	317L	1.4438	SUS317L	≤0.03	≤2.00	≤0.045	≤0.03	≤0.75	18.0-20.0	11.0-15.0	3.0-4.0
S32100	321	1.4541	SUS321	≤0.08	≤2.00	≤0.045	≤0.03	≤0.75	17.0-19.0	9.0-12.0	-
S34700	347	1.4550	SUS347	≤0.08	≤2.00	≤0.045	≤0.03	≤0.75	17.0-19.0	9.0-13.0	-
S40500	405	1.4002	SUS405	≤0.08	≤1.00	≤0.04	≤0.03	≤1.00	11.5-14.5	≤0.60	-
S40900	409	1.4512	SUS409	≤0.08	≤1.00	≤0.045	≤0.03	≤1.00	10.5-11.75	≤0.50	-
S43000	430	1.4016	SUS430	≤0.12	≤1.00	≤0.040	≤0.03	≤0.75	16.0-18.0	≤0.60	-
S43400	434	1.4113	SUS434	≤0.12	≤1.00	≤0.040	≤0.03	≤1.00	16.0-18.0	-	-
S44400	444	1.4521	SUS444L	≤0.025	≤1.00	≤0.045	≤0.03	≤1.00	17.5-19.5	≤1.00	-

S40300	403	-	SUS403	≤0.15	5.5-7.5	≤0.04	≤0.03	≤0.50	11.5-13.0	≤0.60	-
S410000	410	1.4006	SUS410	≤0.15	≤1.00	≤0.035	≤0.03	≤1.00	11.5-13.5	≤0.60	≤1.00
S42000	420	1.4021	SUS420J1	0.16~0.25	≤1.00	≤0.04	≤0.03	≤1.00	12.0-14.0	≤0.75	≤1.00
S440A	440A	1.4028	SUS440A	0.60~0.75	≤1.00	≤0.04	≤0.03	≤1.00	16.0-18.0	-	≤0.75
S32750	SAD2507	1.4410		≤0.03	≤1.2	≤0.035	≤0.02	≤0.80	24.0-26.0	6.0-8.0	3.0-5.0
S31803	SAF205	1.4462		≤0.03	≤2.0	≤0.03	≤0.02	≤1.00	21.0-23.0	4.0-6.5	2.5-3.5
N08904	904L	1.4539		≤0.03	≤2.0	≤0.035	≤0.03	≤1.00	18.0-20.0	23.0-25.0	3.0-4.0



## Packing & Delivery

### 1. Who are we?

We are based in wuxi, China, start from 2021, sell to Mid East(35.00%), South America(20.00%), Southeast Asia(20.00%), Africa(5.00%), Eastern Asia(5.00%), Northern Europe(5.00%), Southern Europe(5.00%), South Asia(5.00%). There are total about 51-100 people in our office.

### 2. How can we guarantee quality?

Always a pre-production sample before mass production;  
Always final Inspection before shipment;

### 3. What can you buy from us?

steel sheet coil, ppqi ppqi, galvanized steel coil, aluminum steel coil sheet, stainless steel

4. Why should you buy from us not from other suppliers?

Integrating the superior resources of China's steel industry, we provide customers with high-quality steel products at preferential prices, and can ensure that the goods are delivered to customers in a timely manner.

5. What services can we provide?

Accepted Delivery Terms: FOB,CFR,CIF,EXW,FCA,DDP,DDU,Express Delivery

Accepted Payment Currency:USD,EUR,CNY;

Accepted Payment Type: T/T,L/C,Credit Card,Weste



**Wuxi Shengquan Metal Products Co., Ltd.**



15370898866



523639146@qq.com



metalsstainless-steel.com

Intersection of Xigang Road and Chuntang Road, Xishan District, Wuxi City